

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,966,979 B2
DATED : November 22, 2005
INVENTOR(S) : Renato Pedrazzi

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [74], *Attorney, Agent, or Firm*, "Finnegan, Henderson, Farabow, Dunner & Dunner, L.L.P." should read -- Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P. --.

Column 7.

Line 26, "trans-membrane" should read -- transmembrane --.

Line 63, "pine" should read -- pipe --.

Column 8.

Line 19, " $FF=UFR/Q_q=UFR/[Q_b \cdot (1-Hct)]$ " should read -- $FF=UFR/Q_p=UFR/[Q_b \cdot (1-Hct)]$ --.

Line 20, " Q_q " should read -- Q_p --.

Column 9.

Line 4, " $FF=UFR/Q_q=UFR/[Q_b \cdot (1-Hct)]$ " should read -- $FF=UFR/Q_p=UFR/[Q_b \cdot (1-Hct)]$ --.

Line 5, " Q_q " should read -- Q_p --.

Line 10, "trans-membrane" should read -- transmembrane --.

Column 10.

Line 26, " $FF=UFR/Q_q=UFR/[Q_p \cdot (1-Hct)]$ " should read -- $FF=UFR/Q_p=UFR/[Q_b \cdot (1-Hct)]$ --.


Line 27, " Q_q " should read -- Q_p --.

Line 32, "trans-membrane" should read -- transmembrane --.

This certificate supersedes Certificate of Correction issued February 28, 2006.

Signed and Sealed this

Second Day of May, 2006



JON W. DUDAS
Director of the United States Patent and Trademark Office